



Montgomery County Department of Permitting Services

255 Rockville Pike, 2nd Floor, Rockville, MD 20850

240-777-6300 Fax: 240-777-6241

<http://permittingervices.montgomerycountymd.gov>



COMMERCIAL FAST TRACK

KIOSK

PLAN SUBMITTAL REQUIREMENTS

- Each page must bear the original signature and seal of the responsible Maryland registered architect or engineer as appropriate.
- Provide a complete Code Analysis. See the “Sample Code Analysis” below for required information. **Both** columns must be completed.
- Provide an exit key plan showing the kiosk and egress to the identified floor exits of the mall.
- Provide plans of the kiosk construction materials and details to include confirm/clarify in the plans that the kiosk has suppression and detection devices. **402.10.1 & 2, IBC 2000** (International Building Code)
- **If the** kiosk has an electrical panel then provide a complete *electrical riser diagram*. **If the** kiosk is fed from individual circuits from an existing panel identify as such in the plans.
- Provide a clear enlarged partial floor plan of area of kiosk (to scale or dimensioned) to check minimum required clearance of 10ft to storefronts and minimum 20ft from kiosk to kiosk or other structure. **402.5.1, 402.10.3, IBC 2000**
- Sales/service counters shall comply with 7.2 (1). Show location on the plan view and provide details to confirm compliance. **ADAAG &**

SAMPLE CODE ANALYSIS

	Existing Building	Proposed Alteration	Unacceptable
IBC Occupancy Classification	M	M	Bank
Construction Type	IIB	IIB	Wood
Number of Stories Above Grade	2	2	?
High Rise (Y/N)	N	N	N
Covered Mall (Y/N)	N	N	?
Fully Sprinklered & Monitored (Y/N)	Y	Y	?
Floor Area of Renovation	5000	1200	1200 or so